

CORRES CONTROL
INCOMING LTR NO

00025 RF 04

DUE DATE

ACTION

| DIST | LTR | ENC |
|----------------|-----|-----|
| BERARDINI J H | X | |
| BOGNAR, E S | X | |
| BROOKS L | X | |
| BUTLER, L | X | |
| CARPENTER, M | X | |
| CROCKETT G A | | |
| DECK C A | X | |
| DEGENHART, K R | | |
| DIETER, T J | | |
| DIETERLE S E | | |
| FERRERA D W | X | |
| GIACOMINI, J J | | |
| LINDSAY D C | X | |
| LONG J W | | |
| LYLE, J L | | |
| MARTINEZ L A | X | |
| NAGEL R E | X | |
| NESTA, S | | |
| NORTH, K | X | |
| PARKER A M | X | |
| RODGERS, A D | | |
| SHELTON D C | X | |
| SPEARS M S | | |
| TRICE, K D | | |
| TUOR N R | X | |
| WIEMELT K | | |
| WILLIAMS J L | | |
| ZAHM, C | X | |
| Broussard | X | |

| | |
|--------------|---|
| COR. CONTROL | X |
| ADMIN RECORD | X |
| PATS/130 | |

Reviewed for Addressee
Corres Control RFP01/27/04 gfg
Date By

Ref Ltr #

DOE ORDER #

5400 1

RECEIVED

2004 JAN 27 A 8 54

STATE OF COLORADO

Colorado Department
of Public Health
and Environment

Bill Owens, Governor

Douglas H Benevento, Executive Director

CORRESPONDENCE
CONTROL

Dedicated to protecting and improving the health and environment of the people of Colorado

4300 Cherry Creek Dr S
Denver, Colorado 80248-1530
Phone (303) 692-2000
TDD Line (303) 691-7700
Located in Glendale, ColoradoLaboratory Services Division
8100 Lowry Blvd
Denver, Colorado 80230-6928
(303) 692-3090<http://www.cdphe.state.co.us>

January 21, 2004

Mr Joe Legare

Acting Assistant Manager for Environment and Stewardship

U S Department of Energy, Rocky Flats Field Office

10808 Highway 93, Unit A

Golden, CO 80403-8200

RE Industrial Area Sampling and Analysis Plan (SAP) FY04 Addendum #IA-04-06 IHSS Group 800-3 (B883) -
Approval

Dear Mr Legare

The Colorado Department of Public Health and Environment, Hazardous Materials and Waste Management Division has reviewed the SAP Addendum #IA-04-06 for IHSS Group 800-3, dated January 2004. Based on the information provided, and issues as discussed herein, the Division is hereby approving this SAP for IHSS Group 800-3 (B883).


As previously discussed, Figure 3 may not properly identify the building features. As such, and considering the intent of this SAP is to sample areas with the greatest potential for releases to the environment, it is expected that all of the sumps, pits, trenches and other low structural areas associated with B883 as well as the tanks, and PWLs will be adequately sampled. Therefore, additional samples may need to be collected based on concerns identified "in the field".

In addition, sampling of areas under equipment or in currently inaccessible areas may need to be postponed until such time that these sampling locations become accessible.

These and any other issues that may arise during the performance of this SAP should be resolved utilizing the consultative process, as indicated in this SAP.

If you have any questions regarding this correspondence please contact me at (303) 692-3367 or David Kruchek at (303) 692-3328.

Sincerely,

Steven H. Gunderson
RFCA Project Coordinatorcc Norma Castaneda, DOE
Gary Kleeman, EPA
Mark Sattelberg, USFWS
Administrative Records Building T130GLane Butler, KH
Dave Shelton, KH
Marcella Broussard, KH

IA-04-06000